Surface: stainless steel, Design: "hammer.runge design"

Bicycle-Stand 450-1

STEEL + STAINLESS STEEL | 845 mm

reddot

Specifications

Frame made from bent steel tubes with a 42.4 x 2.5 mm diameter, a vertical rear tube, and mutually offset tube ends. Only one foundation is required.

Optional: convex cover plate with a 300 mm diameter

Mounting

Concrete embedment (only one foundation required)

Finish

- Stainless steel 1.4301 pickled and smoothed, electropolished to customer's requirement (high-gloss) – surcharge
- Hot-dip galvanised steel ST37, alternatively with powder coating in standard RAL colours or DB 703
- Other colours available on request at a surcharge
- For details, see catalogue p. 2, price list or online-shop

Note

For the removable version, the cover plate is needed.

	Bicycle-Stand 450-1	Cover plate (optional)
ST37 steel, galvanised	450.001	455.001
ST37 steel, powder coated	450.011	455.011
Stainless steel 1.4301	450.002	455.002

Ground shell for removable model: **456.002**

Removable model

Cover plate

Ground shell for removable model

Measurements



Length: 683 mm
Width: 224 mm
Height above ground: 845 mm
Ground insert: approx. 300 mm
Weight: approx. 8 kg
Cover plate: approx. 1 kg

Registered design DM/050806

Bicycle-Stand 450 + 451

STEEL + STAINLESS STEEL

Sample configurations

These examples for designing parking areas with the **ABES Bicycle-Stands 450 or 451** may serve as inspiration for the variety of configuration options.



Preis
9 €
6 €
7 €
7 €
-1 €
45 €
45 €